Nuclear Engineering and Design 128 (1991) 407–408
North-Holland

Author Index to Volume 128

Abdel-Kader, M.S., N.N. El-Hefnawy and A.M. Eleiche, A theoretical comparison of three unified viscoplasticity theories and application to the uniaxial behaviour of Inconel 718 at 1100 °F 128 (1991) 369
Abraham, T.J., see Ebadian 128 (1991) 305
Aoiki, K., Reactor coolant pressure boundary leak detection systems in Japanese PWR plants 128 (1991) 35
Arnold, W., see Morsch 128 (1991) 83
Asano, M., J. Fukakura, H. Kashiwaya and M. Saito, Ductile fracture analysis of carbon steel pipe with a circumferential through-wall crack 128 (1991) 1

Bandyopadhyay, K. and C. Hofmayer, Component fragility results for reliability and probability studies 128 (1991) 217
Barnert, H., see Singh 128 (1991) 383
Bartholomé, G., see Erve 128 (1991) 103
Bigzadeh, E., see Ebadian 128 (1991) 305
Brinette, R., see Deuster 128 (1991) 67
Brocks, W., see Wobst 128 (1991) 9
Brückner-Foit, A., see Riesch-Oppermann 128 (1991) 193

Catton, I., see Chung 128 (1991) 289
Cave, L. and W.E. Kastenberg, On the application of probabilistic risk assessment to reactors with inherently safe features 128 (1991) 339
Chang, S.P., see Han 128 (1991) 207
Cho, H.N., see Han 128 (1991) 207
Chung, M. and I. Catton, Post-dryout heat transfer in a multi-dimensional porous bed 128 (1991) 289

Deuster, G. and R. Brinette, Surveillance of defects under cyclic loads and during hot and cold hydro-tests by acoustic emission, UT and potential drop techniques (German HDR-programme) 128 (1991) 67
Deuster, G., see Höller 128 (1991) 79
Dobmann, G., see Willems 128 (1991) 139

Ebadian, M.A., G. Yang, E. Bigzadeh, J.F. Walker, Jr. and T.J. Abraham, Mathematical modeling of liquid waste evaporation from the Melton Valley storage tanks using heat and mass transfer in a bubble chain 128 (1991) 305
Eleiche, A.M., see Abdel-Kader 128 (1991) 369
El-Hefnawy, N.N., see Abdel-Kader 128 (1991) 369
Engl, G., see Fischer 128 (1991) 51
Erve, M. and G. Bartholomé, Activities in the field of plant life evaluation, life extension and plant improvement 128 (1991) 103

Fischer, K. and G. Preusser, Methods for leak detection for KWU pressurized and boiling water reactors 128 (1991) 43
Fischer, K., G. Engl, W. Rathgeb and R. Heumüller, Recent development for in-service inspection of reactor pressure vessels 128 (1991) 51
Fujii, M., see Narabayashi 128 (1991) 17
Fukakura, J., see Asano 128 (1991) 1

Gehrhardt, H.-J. and P.-A. Gottschalk, Nuclear power plant licensing and supervision in the Federal Republic of Germany 128 (1991) 151
Gotoh, N., see Haregawa 128 (1991) 29
Gottschalk, P.-A., see Gehrhardt 128 (1991) 151

Han, B.K., H.N. Cho and S.P. Chang, Reliability-based design code calibration for concrete containment structures 128 (1991) 207
Hasegawa, K., T. Shimizu, K. Matsumoto and N. Gotoh, Fracture margin of pipe with detectable crack by leakage 128 (1991) 29
Hattori, K., see Kitada 128 (1991) 247
Heumüller, R., see Fischer 128 (1991) 51
Hirata, K., Y. Kobayashi, H. Kameda and H. Shiojiri, Fragility of seismically isolated FBR structure 128 (1991) 227
Hofmayer, C., see Bandyopadhyay 128 (1991) 217
Hohn, H., see Singh 128 (1991) 383
Höller, P., M. Klein, E. Waschkies and G. Deuster, New approach for location of continuously emitting acoustic emission sources by phase-controlled probe arrays 128 (1991) 79
Höller, P., see Morsch 128 (1991) 83
Horimizu, Y., see Narabayashi 128 (1991) 17
Hosser, D. and H. Liemersdorf, Seismic risk analyses in the German Risk Study, Phase B 128 (1991) 259

Iwadate, T., see Ohnishi 128 (1991) 125
Iwamura, Y. and K. Miya, Inverse analysis of defect shapes by the Φ–Ψ method 128 (1991) 91

Jehlicka, P., see Pradlwarter 128 (1991) 237

Kameda, H., see Hirata 128 (1991) 227
Kanda, J., see Kitada 128 (1991) 247
Kashiwaya, H., see Asano 128 (1991) 1
Kastenberg, W.E., see Cave 128 (1991) 339
Kitada, Y., K. Hattori, M. Ogata and J. Kanda, Stochastic seismic floor response analysis method for various damping systems 128 (1991) 247
Klein, M., see Höller 128 (1991) 79
Kobayashi, Y., see Hirata 128 (1991) 227
Krafka, H., see Wobst 128 (1991) 9

Lee, D.W., see Lee 128 (1991) 317
Lee, J.S., see Tao 128 (1991) 331
Lee, S.Y. and D.W. Lee, Linear analysis of flow instabilities in an open two-phase natural circulation loop 128 (1991) 317
Liemersdorf, H., see Dosser 128 (1991) 259

Matsumoto, K., see Narabayashi 128 (1991) 17
Matsumoto, K., see Hasegawa 128 (1991) 29
Miya, K., see Iwamura 128 (1991) 91
Morsch, A., A. Quinten, S. Pangraz, W. Arnold and P. Höller, Recent progress in high-frequency ultrasonics in non-destructive testing and acoustic microscopy 128 (1991) 83
Müller, W., see Wobst 128 (1991) 9

Nakamura, S., see Narabayashi 128 (1991) 17
Narabayashi, T., M. Fujii, K. Matsumoto, S. Nakamura, Y. Tanaka and Y. Horimizu, Experimental study on leak flow model through fatigue crack in pipe 128 (1991) 17
Nienstedt, J., see Schuëller 128 (1991) 201

Ogata, M., see Kitada 128 (1991) 247
Ohnishi, K., H. Tsukada, K. Suzuki, T. Iwadate and Y. Tanaka, Prediction of lower bound fracture toughness for life evaluation of reactor pressure vessels 128 (1991) 125
Ouma, B.H. and S. Tavoularis, Turbulence structure in triangular subchannels of a reactor bundle model 128 (1991) 271

Pangraz, S., see Morsch 128 (1991) 83
Pradlwarter, H.J., Non-Gaussian linearization – an efficient tool to analyse nonlinear MDOF-systems 128 (1991) 175
Pradlwarter, H.J., G.I. Schuëller, P. Jehlicka and H. Steinhilber, Structural failure probabilities of the HDR-containment 128 (1991) 237
Preusser, G., see Fischer 128 (1991) 43

Quinten, A., see Morsch 128 (1991) 83

Rathgeb, W., see Fischer 128 (1991) 51
Riesch-Oppermann, H. and A. Brückner-Foit, Probabilistic fracture mechanics applied to high temperature reliability 128 (1991) 193

Saito, M., see Asano 128 (1991) 1
Schuëller, G.I., A. Tsurui and J. Nienstedt, On the failure probability of pipings 128 (1991) 201
Schuëller, G.I., see Pradlwarter 128 (1991) 237
Schulz, H., The evaluation of component lifetime on the basis of operating experience 128 (1991) 115
Shimizu, T., see Hasegawa 128 (1991) 29
Shinozuka, M., see Takada 128 (1991) 167
Shiojiri, H., see Hirata 128 (1991) 227
Singh, J., H. Hohn and H. Barnert, Advanced pebble bed high temperature reactor with central graphite column for future applications 128 (1991) 383
Steinhilber, H., see Pradlwarter 128 (1991) 237
Suzuki, K., see Ohnishi 128 (1991) 125

Tanaka, Y., see Narabayashi 128 (1991) 17
Tanaka, Y., see Ohnishi 128 (1991) 125
Tao, D.D.J. and J.S. Lee, Nonlinear transient thermo-elastic analysis of TFTR protective plate assembly 128 (1991) 331
Takada, T. and M. Shinozuka, Reliability analysis of nonlinear MDOF dynamic systems 128 (1991) 167
Tavoularis, S., see Ouma 128 (1991) 271
Tsukada, H., see Ohnishi 128 (1991) 125
Tsurui, A., see Schuëller 128 (1991) 201

Villaverde, R., Approximate formulas to calculate the seismic response of light attachments to buildings 128 (1991) 349

Walker Jr., J.F., see Ebadian 128 (1991) 305
Waschkies, E., see Höller 128 (1991) 79
Willems, H. and G. Dobmann, Early detection of creep damage by ultrasonic and electromagnetic techniques 128 (1991) 139
Wobst, K., W. Müller, H. Krafka and W. Brocks, Experimental and numerical investigations of stable crack growth of axial surface flaws in a pressure vessel 128 (1991) 9

Yang, G., see Ebadian 128 (1991) 305

Nuclear Engineering and Design 128 (1991) 409–410
North-Holland

Subject Index to Volume 128

Thermal and fluid design

Turbulence structure in triangular subchannels of a reactor bundle model, B.H. Ouma and S. Tavoularis 128 (1991) 271
Post-dryout heat transfer in a multi-dimensional porous bed, M. Chung and I. Catton 128 (1991) 289
Mathematical modeling of liquid waste evaporation from the Melton Valley storage tanks using heat and mass transfer in a bubble chain, M.A. Ebadian, G. Yang, E. Bigzadeh, J.F. Walker, Jr. and T.J. Abraham 128 (1991) 305
Linear analysis of flow instabilities in an open two-phase natural circulation loop, S.Y. Lee and D.W. Lee 128 (1991) 317

Engineering mechanics

Inverse analysis of defect shapes by the Φ–Ψ method, Y. Iwamura and K. Miya 128 (1991) 91
Probabilistic fracture mechanics applied to high temperature reliability, H. Riesch-Oppermann and A. Brückner-Foit 128 (1991) 193
A theoretical comparison of three unified viscoplasticity theories and application to the uniaxial behaviour of Inconel 718 at 1100°F, M.S. Abdel-Kader, N.N. El-Hefnawy and A.M. Eleiche 128 (1991) 369
Nonlinear transient thermo-elatic analysis of TFTR protective plate assembly, D.D.J. Tao and J.S. Lee 128 (1991) 331
On the application of probabilistic risk assessment to reactors with inherently safe features, L. Cave and W.E. Kastenberg 128 (1991) 339
Approximate formulas to calculate the seismic response of light attachments to buildings, R. Villaverde 128 (1991) 349

Materials properties

Ductile fracture analysis of carbon steel pipe with a circumferential through-wall crack, M. Asano, J. Fukakura, H. Kashiwaya and M. Saito 128 (1991) 1
Experimental and numerical investigations of stable crack growth of axial surface flaws in a pressure vessel, K. Wobst, W. Müller, H. Kafka and W. Brocks 128 (1991) 9
Prediction of lower bound fracture toughness for life evaluation of reactor pressure vessels, K. Ohnishi, H. Tsukada, K. Suzuki, T. Iwadate and Y. Tanaka 128 (1991) 125
A theoretical comparison of three unified viscoplasticity theories and application to the uniaxial behaviour of Inconel 718 at 1100°F, M.S. Abdel-Kader, N.N. El-Hefnawy and A.M. Eleiche 128 (1991) 369

Mechanical design, component fabrication and testing

Ductile fracture analysis of carbon steel pipe with a circumferential through-wall crack, M. Asano, J. Fukakura, H. Kashiwaya and M. Saito 128 (1991) 1
Experimental and numerical investigations of stable crack growth of axial surface flaws in a pressure vessel, K. Wobst, W. Müller, H. Kafka and W. Brocks 128 (1991) 9
Experimental study on leak flow model through fatigue crack in pipe, T. Narabayashi, M. Fujii, K. Matsumoto, S. Nakamura, Y. Tanaka and Y. Horimizu 128 (1991) 17
Fracture margin of pipe with detectable crack by leakage, K. Hasegawa, T. Shimizu, K. Matsumoto and N. Gotoh 128 (1991) 29
Methods for leak detection for KWU pressurized and boiling water reactors, K. Fischer and G. Preusser 128 (1991) 43
Recent development for inservice inspection of reactor pressure vessels, K. Fischer, G. Engl, W. Rathgeb and R. Heumüller 128 (1991) 51
Surveillance of defects under cyclic loads and during hot and cold hydro-tests by acoustic emission, UT and potential drop techniques (German HDR-programme), G. Deuster and R. Brinette 128 (1991) 67
New approach for location of continuously emitting acoustic emission sources by phase-controlled probe arrays, P. Höller, M. Klein, E. Waschkies and G. Deuster 128 (1991) 79

Recent progress in high-frequency ultrasonics in non-destructive testing and acoustic microscopy, A. Morsch, A. Quinten, S. Pangraz, W. Arnold and P. Höller 128 (1991) 83
Activities in the field of plant life evaluation, life extension and plant improvement, M. Erve and G. Bartholomé 128 (1991) 103
The evaluation of component lifetime on the basis of operating experience, H. Schulz 128 (1991) 115
Early detection of creep damage by ultrasonic and electromagnetic techniques, H. Willems and G. Dobmann 128 (1991) 139
Probabilistic fracture mechanics applied to high temperature reliability, H. Riesch-Oppermann and A. Brückner-Foit 128 (1991) 193
On the failure probability of pipings, G.I. Schuëller, A. Tsurui and J. Nienstedt 128 (1991) 201

Reactor concepts and systems analysis

Reactor coolant pressure boundary leak detection systems in Japanese PWR plants, K. Aoiki 128 (1991) 35
Non-Gaussian linearization – an efficient tool to analyse nonlinear MDOF-systems, H.J. Pradlwarter 128 (1991) 175
On the failure probability of pipings, G.I. Schuëller, A. Tsurui and J. Nienstedt 128 (1991) 201
Reliability-based design code calibration for concrete containment structures, B.K. Han, H.N. Cho and S.P. Chang 128 (1991) 207
Structural failure probabilities of the HDR-containment, H.J. Pradlwarter, G.I. Schuëller, P. Jehlicka and H. Steinhilber 128 (1991) 237
Stochastic seismic floor response analysis method for various damping systems, Y. Kitada, K. Hattori, M. Ogata and J. Kanda 128 (1991) 247
Seismic risk analyses in the German Risk Study, Phase B, D. Hosser and H. Liemersdorf 128 (1991) 259
Component fragility results for reliability and probability studies, K. Bandyopadhyay and C. Hofmayer 128 (1991) 217
Advanced pebble bed high temperature reactor with central graphite column for future applications, J. Singh, H. Hohn and H. Barnert 128 (1991) 383

Structural design, construction methods and testing

Reliability analysis of nonlinear MDOF dynamic systems, T. Takada and M. Shinozuka 128 (1991) 167
Non-Gaussian linearization – an efficient tool to analyse nonlinear MDOF-systems, H.J. Pradlwarter 128 (1991) 175
Reliability-based design code calibration for concrete containment structures, B.K. Han, H.N. Cho and S.P. Chang 128 (1991) 207
Structural failure probabilities of the HDR-containment, H.J. Pradlwarter, G.I. Schuëller, P. Jehlicka and H. Steinhilber 128 (1991) 237
Stochastic seismic floor response analysis method for various damping systems, Y. Kitada, K. Hattori, M. Ogata and J. Kanda 128 (1991) 247
Seismic risk analyses in the German Risk Study, Phase B, D. Hosser and H. Liemersdorf 128 (1991) 259
Fragility of seismically isolated FBR structure, K. Hirata, Y. Kobayashi, H. Kameda and H. Shiojiri 128 (1991) 227

Nuclear safety

Nuclear power plant licensing and supervision in the Federal Republic of Germany, H.-J. Gehrhardt and P.-A. Gottschalk 128 (1991) 151